

## Table of Contents

<b>Microstructure and microhardness studies of nickel-based diamond composite coatings by electrodepositing in supercritical CO<sub>2</sub></b>	
<i>H. F. Qian, W. N. Lei, C. Y. Wang, M. Qian, W. Q. Liu</i> .....	1
<b>Numerical analysis of the damage detection in composite plates based on the electromechanical impedance method</b>	
<i>D. D. Niu, C. Li, Y. Tie</i> .....	5
<b>Stability and bifurcation analysis of a composite laminated cantilever rectangular plate by using the normal form theory</b>	
<i>S. P. Chen, W. Zhang, M. H. Zhao</i> .....	10
<b>Effect of oxygen partial pressure on the composition and structure of GdBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-δ</sub> by solid state reaction</b>	
<i>R. Tu, W. Ke, S. Zhang, T. Wang, L. M. Zhang, T. Goto</i> .....	21
<b>Preparation of B<sub>4</sub>C–ZrB<sub>2</sub>–SiC ternary eutectic composites by arc melting and their properties</b>	
<i>R. Tu, N. Li, Q. Z. Li, S. Zhang, T. Goto, L. M. Zhang</i> .....	26
<b>Research on performance of aramid fibre composite</b>	
<i>B. Cai and Y. H. Yuan</i> .....	30
<b>Effect of fibre braiding orientation on the natural frequency of 2D braided composites cantilever beam</b>	
<i>P. Liu, X. J. Liu, Y. Zhou, B. Huo, S. X. Zhang</i> .....	33
<b>Failure analysis of TiB<sub>2</sub>–TiC composite-coated electrodes for spot-welding galvanised steel plates</b>	
<i>A. Z. YangLi, P. Luo, S. J. Dong, S. X. Sun, Z. Zheng, H. H. Wang</i> .....	38
<b>Semisolid microstructural evolution of fine grain <i>in situ</i> Mg<sub>2</sub>Si<sub>p</sub>/AM60B composite in mushy zone</b>	
<i>S. Q. Zhang, T. J. Chen, P. B. Li, L. L. Li</i> .....	44
<b>Research of carbon fibre grille reinforced composites in airport pavement snowmelt</b>	
<i>Y. Liu, Y. Lai, D. X. Ma</i> .....	49
<b>Research of creep test at room temperature of the impact of the creep on loss in the toe load of WJ-7 ballastless track fastener</b>	
<i>Z. Wu, W. Huang, Z. C. Wei, Y. B. Luo, J. Q. Li</i> .....	55
<b>Analysis on mechanical properties of railroad ballast bed enhanced by polyurethane material</b>	
<i>H. Xiao, L. W. Huang, F. Hu</i> .....	59
<b>Experimental research on the compressive strength influencing factors of expanded polystyrene sheet silt mixed lightweight soil material</b>	

<i>Y. Feng</i> .....	64
<b>Experimental research about mechanical properties and microscopic structures of Nansha soft soil stabilised with slag and cement</b>	
<i>S. H. Liang and S. Z. Zhou</i> .....	69
<b>Application of polycarboxylate in low cement castables</b>	
<i>T. S. He and Z. K. Li</i> .....	75
<b>Effects of <math>\beta</math>-TCP ceramics particles on properties of glass bone cement</b>	
<i>H. T. Zhou, N. Zhou, W. H. Huang, J. Y. Wang</i> .....	81
<b>Engineering properties of the pozzolanic materials concrete (PMC) in a hot spring environment</b>	
<i>H. Y. Wang, T. T. Chen, J. N. Chang</i> .....	86
<b>A method for recognising building materials based on hyperspectral remote sensing</b>	
<i>C. M. Ye, P. Cui, J. Li, S. Pirasteh</i> .....	90
<b>Melting snow on airport cement concrete pavement with carbon fibre heating wires</b>	
<i>Y. Liu, Y. Lai, D. X. Ma</i> .....	95
<b>A relationship of mesoscopic pore structure and concrete bending strength</b>	
<i>S. B. Zhou, A. Q. Shen, X. Li, G. F. Li</i> .....	100
<b>Sulphate ion migration of cement concrete under the coupling action of corrosion solution and alternating loading</b>	
<i>B. W. Guan, T. Yang, J. Y. Zhang, H. Ma, Y. W. Wang, R. Xiong, Y. P. Sheng</i> .....	110
<b>Experiments and simulations of rheological and flow characteristics of flowable concrete using particle method</b>	
<i>C.-G. Cho, Y. Choi, Y.-C. Lim, S. Lee</i> .....	114
<b>Laboratory study on permeability characteristics of lightweight soil mixed with polystyrene under consolidation pressure and curing age</b>	
<i>Y. H. Zhu and D. Y. Ma</i> .....	118
<b>Study on microstructures and macro-properties in cement-based materials adding phosphorous slag</b>	
<i>Y. Q. Lin, M. J. Rao, H. Q. Yang, J. Z. Li, Y. Shi</i> .....	122
<b>Experimental study on mixture ratio design of high-performance concrete used on high-speed ballastless railway</b>	
<i>H. Xiao, G. T. Yang, J. J. Yu</i> .....	128
<b>Analysis of the composite effect of partially concrete-encased H-shaped steel composite columns</b>	
<i>Z. Z. Yin, S. L. Chen, Y. X. Liang, W. Chen</i> .....	133
<b>Numerical simulation of chloride ion migration of cement concrete under dry–wet cycles</b>	
<i>B. W. Guan, T. Yang, X. K. Yang, R. Xiong, Y. W. Wang, Y. P. Sheng</i> .....	139
<b>Reason analysis and treatment for concrete material cracks of tunnel lining</b>	
<i>B. Zhang, S. Fan, J. Deng</i> .....	144

<b>The effects of different ways of adding nano-TiO<sub>2</sub> to concrete on the degradation performance of NO<sub>2</sub></b>	
<i>Z. B. Qin, W. T. Zhang, G. P. Qian, X. L. Wu, Y. Li</i> .....	148
<b>CO adsorption on TiO<sub>2</sub> nanomaterials: nanoparticles, nanotubes and nano-surfaces</b>	
<i>J. Liu, C. Wang, T. X. Liang</i> .....	155
<b>Effects of fine tourmaline particles on photocatalytic activity of nano-sized TiO<sub>2</sub> powders</b>	
<i>Y. W. Feng and Y. P. Shang</i> .....	160
<b>Life evaluation of insulation paper used in transformer by determining the activation energy</b>	
<i>J. Shi, C. N. Wu, X. J. Wang</i> .....	164
<b>Gel polymer electrolytes with high ionic conductivity for the electrical double layer capacitors</b>	
<i>Y. Yu, Y. X. Zuo, C. C. Zuo, Z. H. Liu, Z. Zhang</i> .....	168
<b>Glacial acetic acid catalysed carbon aerogels as electrode material in the electrical double-layer capacitor</b>	
<i>Q. N. K. Nguyen, W. D. Yang, Z. J. Chung</i> .....	172
<b>Material performance measurement of a promising circuit element: fractor-part I: driving-point impedance function of the arbitrary-order fractor in its natural implementation</b>	
<i>Y.-F. Pu</i> .....	176
<b>Material performance measurement of a promising circuit element: fractor-part II: measurement units and physical dimensions of fractance and rules for fractors in series and parallel</b>	
<i>Y.-F. Pu</i> .....	183
<b>Effect of thickness of diamond coatings on the adhesive strength of film–substrate interface</b>	
<i>X. G. Jian, Y. H. Zhang, L. D. Shi</i> .....	190
<b>Magnetic field intensity in Halbach trapezoidal magnet array of magnetically levitated planar actuators</b>	
<i>X. Tu, R. G. Zhou, Y. F. Zhou, W. J. Du, X. Cheng</i> .....	194
<b>Transparent organic materials of aircraft cockpit canopies: research status and development trends</b>	
<i>X. K. Wang, S. C. Wei, B. S. Xu, Y. Chen, X. Yan, H. H. Xia</i> .....	199
<b>Application of surface modification in hydrophobic and oleophobic materials research</b>	
<i>W. C. Xu, J. Z. Shi, D. L. Li, G. R. Cao, M. K. Feng, K. T. Wang</i> .....	207
<b>Investigation on residual stresses in a Al2024 deep drawn square cup</b>	
<i>J. B. Li, L. Deng, X. Y. Wang</i> .....	211
<b>Relation analysis between break elongation and chemical components of hot-rolled ribbed-steel bar</b>	
<i>Y. Z. Zhang, J. C. Chang, X. D. Wang, Z. S. Zou, Z. J. Han, L. C. Feng</i> .....	216

<b>Synthesis process and production properties of forsterite-based refractory from iron ore tailings</b>	
<i>J. Li, Q. Wang, H. S. Xu</i> .....	221
<b>Influence of boron on phosphorus grain boundary segregation behaviour in high-strength interstitial free steels</b>	
<i>X. L. Song, R. B. Lian, K. Peng, B. Liu, J. Jia, J. Liu, Z. X. Yuan</i> .....	225
<b>7075-T6 aluminium alloy exfoliation corrosion sensitivity and electrochemical impedance spectroscopy under stress</b>	
<i>Z. H. Ji and Z. Z. Jing</i> .....	230
<b>Effects of friction factors on flat bottom self-pierce riveting joints of AZ31 magnesium alloy</b>	
<i>S. L. Han, X. D. Tang, Y. Gao, Q. L. Zeng</i> .....	235
<b>Simulation and experiment of specimen size on the effect of laser scribing width and depth of Al<sub>2</sub>O<sub>3</sub> ceramics</b>	
<i>K. J. Huang, S. Wang, L. Tang</i> .....	239
<b>Effect of water on tin penetration in subsurface layer of glass</b>	
<i>H. Jiang, Z. X. Dai, H. F. Zhao, H. Q. Huang, L. F. Zhu</i> .....	244
<b>Brazing Incoloy 800 using the VZ-2177 filler foil</b>	
<i>C. Y. Wang, C. Yu, R. K. Shiue</i> .....	249
<b>Dynamic strength analysis of Al-6061-T6 threaded-pipe connectors under preload and internal pressure</b>	
<i>K. M. Ko, J. B. Ou, B. M. Hsu, J. F. Chen, M. H. Shu</i> .....	253
<b>Effect of T6 heat treatment on corrosion resistance and mechanical properties of AM50 magnesium alloy</b>	
<i>M. Yang, Y. H. Liu, J. A. Liu, Y. L. Song</i> .....	259
<b>Thermal aging behaviour of an aluminised explosive charge</b>	
<i>L. Jia, L. J. Zhang, D. M. Zhang, J. J. Du, K. D. Xin, J. Y. Luan, W. J. Zhou, K. Y. Wang, F. Han</i> .....	265
<b>Design and realisation of sensor system for detecting low-energy electron emission from metal microcracks</b>	
<i>X. Q. Yuan and Y. K. Shi</i> .....	269
<b>Effects of Sn addition forms on microstructure and mechanical properties of AZ31 magnesium alloy</b>	
<i>C. F. Fang, D. D. Song, G. X. Liu, H. Huang, X. L. Dong, X. G. Zhang</i> .....	273
<b>Effect of metallic particle injection on emitted radiations in atmospheric plasma spray jet</b>	
<i>N. N. Zhang, D. Y. Lin, Y. Zhang, M. P. Planche, C. Coddet</i> .....	277
<b>A study on the cracking behaviour in laser metal deposition of IC10 directionally solidified nickel-based superalloy</b>	
<i>B. Xing, B. H. Chang, S. Yang, D. Du</i> .....	281
<b>Spectral analysis of brake noise of automobiles with potassium titanate whiskers</b>	
<i>Y. Cheng</i> .....	286

<b>Non-destructive testing of stainless steel in high temperature using electromagnetic acoustic transducer</b>	
<i>J. J. Zhou, Y. Zheng, H. B. Liu, H. Zheng, S. J. Li</i> .....	291
<b>The research on adsorption efficiency of toxic nickel ion using synthetic <math>\alpha</math>-MnO<sub>2</sub></b>	
<i>S. Li, L. Yu, B. Q. Jiao, Y. J. Yin, D. Li, Z. Q. Zhao</i> .....	295
<b>Fracture behaviour of aluminium alloy sheet under roller hemming process</b>	
<i>X. Hu, H. J. Yang, H. G. Yang, W. J. Dan</i> .....	299
<b>Study of corrosion processes on typical surfaces of weathering steel road bridges</b>	
<i>V. Urban, V. Krivy, K. Kreislova</i> .....	305
<b>A novel processing route for the manufacture of EN AW 6082 forged components</b>	
<i>E. Gokcil, S. Akdi, Y. Birol</i> .....	311
<b>Statistical evaluation of ultra-long life fatigue strength and characteristic inclusion size of carburised Cr–Mn steel</b>	
<i>Z. D. Sun, W. Li, P. Wang</i> .....	315
<b>Characterisation of early fatigue damage in AZ31 magnesium alloy using a non-linear ultrasound technique</b>	
<i>B. S. Yan</i> .....	319
<b>The study of the quantification of the concentration of benzoyl peroxide based on the terahertz spectrum</b>	
<i>X. A. Chen, Z. L. Zhou, L. Han, Q. H. Zhang, L. Wang</i> .....	325
<b>The interaction between CuO and inhibitor including Cl<sup>-</sup> by using molecular dynamics</b>	
<i>J. Hu, C. M. Wang, Y. Q. Wang, L. J. Yu, X. X. Ma</i> .....	331
<b>Effect of regeneration atmosphere on the properties of an iron oxide desulphurisation sorbent for high-temperature coal gas desulphurisation</b>	
<i>Y. T. Xu, J. Shangguan, Y. K. Gao, H. L. Fan, J. Mi</i> .....	336
<b>Preparation of K<sub>2</sub>Ti<sub>4</sub>O<sub>9</sub> nanowhiskers via stearic acid method</b>	
<i>S. Zhang, J. Wu, X. L. Ji, F. Yi, P. F. Hu</i> .....	340
<b>Influence of basicity and Fe<sub>2</sub>O<sub>3</sub> on crystallisation characteristics of CaO–MgO–SiO<sub>2</sub>–Al<sub>2</sub>O<sub>3</sub>–Cr<sub>2</sub>O<sub>3</sub>–Fe<sub>2</sub>O<sub>3</sub> system</b>	
<i>X. R. Wu, R. T. Wang, H. H. Lü, X. M. Shen, L. S. Li</i> .....	345
<b>Adsorption of silver ions using an ethoxycarbonyl thiourea chelating resin</b>	
<i>G. Zhao, Q. Wang, S. Wang, C. J. Zhou, H. Zhong</i> .....	350
<b>Research on damage properties of polyurethane sports venues by the finite element method</b>	
<i>H. Wang, W. T. Zheng, H. F. He</i> .....	356
<b>Study on high temperature oxidative deterioration for poly-<math>\alpha</math>-olefins aviation lubricant materials</b>	
<i>Y. W. Fei, X. L. Peng, L. P. Tong, H. W. Yang</i> .....	360
<b>Investigation of the local enhancement of cellular materials based on 2D Voronoi model</b>	

<i>J. J. Zhang, L. Cheng, Z. H. Wang, L. M. Zhao</i> .....	366
<b>Elastic modulus of tetrakaidecahedron open-cell cellular materials</b>	
<i>L. G. Zhang, H. Zhu, L. Yuan</i> .....	374
<b>Investigation on biomimetic wet adhesive pads with variable cross-section surface microstructures</b>	
<i>K. Wang, L. M. Kong, B. He, M. Gao</i> .....	378
<b>The ultraviolet responses of ZnO-based thin-film transistor prepared by sol–gel method</b>	
<i>M. Zhang, Z. N. Yu, J. Z. Wang, W. Xue</i> .....	382
<b>Structural and optical properties of sol–gel derived <math>Zn_{0.8-x}Na_xMg_{0.2}O</math> thin films</b>	
<i>Y. G. Chen, C. Z. Zhang, S. Liu</i> .....	387
<b>Performance of cross-linked silk fibroin membrane using tyrosinase</b>	
<i>M. Y. Yang, X. Y. Li, S. Z. Lu, T. L. Xing, G. Q. Chen, D. Q. Sun, Z. L. Chen</i> .....	392
<b>Preparation of ultra-thick <math>\beta</math>-SiC films using different carbon sources</b>	
<i>R. Tu, D. H. Zheng, H. Cheng, M. X. Han, S. Zhang, T. Goto</i> .....	397
<b>The effect of diluent gases on the growth of <math>\beta</math>-SiC films by laser CVD with HMDS</b>	
<i>P. P. Zhu, R. Tu, S. Zhang, M. X. Han, Q. F. Xu, Q. Y. Sun, L. M. Zhang, T. Goto, J. S. Yan, S. S. Li</i> .....	403
<b>Effect of annealing temperature on microstructure and thermoelectric properties of bismuth–telluride multilayer thin films prepared by magnetron sputtering</b>	
<i>J. X. Zhang, Q. Li, P. J. Niu, Q. X. Yang, B. M. Tan, X. H. Niu, B. H. Gao</i> .....	408
<b>Preparation and properties of geopolymer from blast furnace slag</b>	
<i>X. Huang, L. Yu, D. W. Li, Y. C. Shiao, S. Li, K. X. Liu</i> .....	413
<b>Study of the surface morphology of laser etching on engineering ceramics</b>	
<i>B. B. Xie and G. F. Yuan</i> .....	420
<b>Investigation and analysis of amorphous magnetic materials for hybrid-flux-modulated motor</b>	
<i>H. J. Liu, Y. Hao, Z. Y. Zhang, W. N. Fu</i> .....	424